







United States Army Ground Tactical TFOCA® OTDR/Light Source - Power Meter/ Cleaning & Inspection Test Platform Kit Content Details

Larry Widgeon (24/7/365) 757 630-6780 larry.widgeon@kitcofo.com

sales@kitcofo.com

757 518-8100



KITCO Kit # 0831-8245



VIAVI One Advisor 800 OTDR





TFOCA Reel



HQRCs









The following slides describes every component of the recently updated 0831-8245 TFOCA II® Ground Tactical OTDR/Light Source -Power Meter/Cleaning & Inspection Test Platform Kit. Before each student experiences "hands-on" training a brief overview of the entire 0831-8245 Kit and the HQJ (High Quality Jumpers) theory & proper operation & handling will be given. A package of various materials will be left with each student consisting of CDs, & DVDs for future reference.

Please call KITCO' Training Coordinator at 866 643-5220 to sign-up for our "hands-on" TFOCA II® Training Course.

A "certification" test will be administered & each student that passes will receive a framed certificate & a wallet sized card deeming them as being "hands-on" certified on the understanding of the KITCO 0831-8245 Inspection, Cleaning, & Test Platform Kit as well as ETA Certification.

Larry Widgeon's United States Army, Fiber Optic Leadership Mission:

My mission is to design, manufacture, and provide functional comprehensive tool kits that will allow the War Fighter to field repair, inspect, clean, test, & maintain TFOCA II® connectors, "Military/Commercial Connectors & Splices" - even in harsh and hostile environments. These kits shall include tools for any brand or vendor involved in the industry. In order to complete this mission KITCO must remain unbiased and not be vendor specific.

I insist that the Warfighter's situation be the highest priority.

The kits we design will allow for upgrade modules as technology or vendor installation process differences occur and are disclosed.



A sample of a termination kit & a reel of TFOCA II® fiber!



Test Platform Kit was formerly named the "Johnny Cash" Kit . KITCO had previously named some of our other kits after the Beatles (John, Paul, George, & Ringo). There is also a TFOCA II®/MFOCA Fusion Splice Kit named Quad EL. These names helped everyone remember which kit was which & we could (and still do!) have some fun with music!!

However, we can now only use the names in "regular social discourse" and absolutely no monetization is gained on our behalf by the use of any artist or artists.

This information package is being presented to the United States Army. It contains a copyrighted Bill of Materials, & other information concerning KITCO Fiber Optics relevant to the repair of TFOCA II® reels of fiber & cable assemblies & commercial fiber links.









#0831-8245 Case Configuration

The #0400-1191 Military Grade,
Customized Case is designed for
harsh environments. Ruggedized
hinges, handles, & a watertight seal
with pressure relief valve make this
a perfect case to protect and
transport every tool the Warfighter
needs. Special straps attached to the
three levels make for easy access to
every tool. A "kit key" is included
to inform the user as to where every
tool should be placed. Heavy duty
wheels & an extendable handle
make transport easy.



#0400-1191

Customized Military
Grade Case





#0700-8062

Lid Pouch w/Handle







#0705-54XX

One Advisor 800 Test
Platform w/Touchscreen
Features a built in Power
Meter, Video Inspection
Scope & OTDR plug-in
module (850,1300, 1310,&
1550 nm)

Re-Chargeable Lithium Battery & AC Adapter Included

VIAVI - High Resolution OTDR



One Advisor 800



KITCO PART #0705-5469

THE VIAVI OLS-36V2 SmartPocket™ Quad Light Source has two ports, one port is powered by a LASER (1310nm/1550nm) and the other by an LED (850nm/1300nm) enabling this superior unit to test single mode and/or multimode systems or TFOCA II® Reels of Fiber. The OLS-V2 is designed to be used in conjunction with the One Advisor 800 OTDR also found in the 0831-8245 Test Platform. This rugged unit can be powered by 2x AA batteries, 2x re- chargeable NiMH AA batteries or AC power adapter (included). The OLS-36V2 has an instant on feature as well as a high-visibility graphical display with backlight.





Fleet Care-EW*

5 Year Extended Warranty

Five Year Extended Warranty. Extends to five years the warranty on the VIAVI manufactured test and measurement equipment. This includes: One Advisor 800; Optical OLS-36V2

Fleet Care-CAL*

Yearly Calibration Coverage

Five Year Extended Calibration
Coverage. Provide four calibrations over
a five-year period for the VIAVI
manufactured test and measurement
equipment. This includes: One Advisor
800 and, OLS-36V2.
Recommended calibration for each item
is annual.

*No longer available for purchase as a separate line item: Each One Advisor 800 & OLS-36V2 has an extended 3 year manufacturer's Warranty & Calibration if purchased from KITCO as a #0831-8245 Kit.



#0700-9205

AC/DC - Power Supply

Included w/ One Advisor 800





#0705-5468(?)

Lithium Ion Re-chargeable Battery



#0831-8245 Bill of Materials w/Pictures

#0700-5390

Flexible Cleaning Swabs for TFOCA (SG) Pins

5 packs of 25

#0700-5391

Flexible Cleaning Swabs for TFOCA (SG) Sockets

5 packs of 25



These Cleaning Tips are designed to clean the end-face of the TFOCA II® Pin Terminus without removing the front insert nest!

These Cleaning Tips are designed to clean the end-face of the TFOCA II ®

Socket Terminus

without removing the front insert nest!





#0831-8245 Bill of Materials w/Pictures

#0700-5393

Flexible Cleaning Swabs for I.25mm LC Connectors



These Cleaning Tips are designed to clean the end-face of any 1.25mm LC Connector

5 packs of 25



#0831-8245 Bill of Materials w/Pictures

#0700-5394

Flexible Cleaning Swabs for TFOCA (FG), Biconic Pins & Sockets



These Cleaning Tips are designed to clean the end-face of the TFOCA (I), Dual Biconic Pins & Socket Termini without removing the front insert nest!

5 packs of 25



#0700-5175

Fiber Optic Cleaning Fluid

Item 16 1 ea.

#0700-5165

Fiber Optic Cleaning Wipes

Item 17 1 ea.








#0700-9875

6-Chamber Plastic Box





VIAVI Manuals

Included with
One Advisor Test Platform







P5000i Microscope Probe

#0700-8668

Unites States Army
Military/Commercial
Inspection Probe




BOM Pg. 18

#0831-8245 Bill of Materials w/Pictures









#0700-8781

Tips for Viewing
1.25mm (LC) Patch
Cord Configuration







BOM Pg. 17

#0831-8245 Bill of Materials w/Pictures



#0700-8776

Probe Tips for Viewing TFOCA II ® Pins & Sockets*

*This can be done without taking apart the Multiple Termini Plugs or Receptacles!



#0700-8776



#0831-8245 Bill of Materials w/Pictures

#KFO 11300

ST/ST HQRCs w/Attached Lanyard Dust Covers High Quality Reference Cable



#0204-4070

Singlemode Quality ST to ST Coupling Adapter







#KFO 80050 ST/TFOCA II® High Quality Launch Cable 4-Channel, 62.5/125 15 Meters



#0831-8245 Bill of Materials w/Pictures

#KFO 80040


Multimode

ST/TFOCA II® HQRC

High Quality Reference Cable

4-Channel, 62.5/125,! Meter

1 meter





#KFO 80045


Singlemode

ST/TFOCA II® HQRC

High Quality Reference Cable

4-Channel, 9/125

1 meter





#KFO 11301

ST - to - ST Singlemode HQRC

1 Meter



. 0010010110110101010110 10101011010111010110

#0831-8245 Bill of Materials w/Pictures

0705-5330

ST - to - SC Multimode HQRC

1 Meter

2 ea.





KFO 80087

ST - to - LC Multimode HQRC

1 Meter







KFO 80081

ST - to - LC Singlemode HQRC

1 Meter





#0831-8245 Bill of Materials w/Pictures

KFO 80086

ST - to - SC Singlemode HQRC

1 Meter





BOM Pg. 28A

#0831-8245 Bill of Materials w/Pictures

Additional Specifications for Items # 34 (#0200-2610) & Item #35 (#0200-2660), Singlemode Hybrid Coupling Adapters

These singlemode quality hybrid adapters allow the Warfighter to connect standard "ST-Style" connector interfaces with SC, LC or FC interfaces. This will allow the technician to check patch panels that have other styles of connectors other than "ST-Style." These adapters function with either multimode or singlemode applications.



#0204-1060

ST - to - SC Singlemode Hybrid Coupling Adapter

2 ea.

#0200-2637

ST - to - LC Singlemode Hybrid Coupling Adapter












#0705-5490


50 Meter OTDR
Dead Zone
Elimination Box





#0705-5491


100 Meter OTDR
Dead Zone
Elimination Box





#0705-5492

500 Meter OTDR
Dead Zone
Elimination Box



Additional Specifications for Items # 37 (0705-5490), Item #38 (#0705-5491), & Item #39 (#0705-5492) Pulsewidth Setting & Dead Zone Elimination Boxes

These Dead Zone Elimination Boxes allow the Warfighter to accurately test extremely long runs of commercial fiber links. Each box is specifically designed to eliminate both "attenuation & event dead zones" due to the length of the pulse width that the OTDR is emitting. The boxes consist of 250 micron, acrylate coated fiber, protected inside a sturdy box. A singlemode, simplex jumper is fusion spliced inside the box with "ST-Style", singlemode connectors on each end. One end is attached to the OTDR & the other to end "A" of the fiber under test. Now the proper pulse width can be accurately set to gather pertinent data along the entire length, up to approximately 60 miles!



#0731-1200

Range Finder








#0831-8245 Bill of Materials w/Pictures

#0700-3210

Cleaning Wire (1 Vial)







Additional Specifications for Items #41, (#0200-2640), Bare Fiber Adapter & Item #42 (#0700-3210)

This #0200-2640 Bare Fiber Adapter is used to attach the One Advisor 800 (or any other OTDR) to a reel of fiber without having to actually place a connector on the fiber. This is done by stripping the fiber a certain dimension, pushing a button on the side of the bare fiber adapter & feeding the fiber into it. The technician then pulls the fiber back gently until it is even with the end-face of the adapter. Now the Warfighter can simply attach this to end "A" of the reel of fiber and shoot the reel to make sure of its integrity before splicing on a "pigtail" or connectorizing with the proper connector, plug, or receptacle. Occasionally the fiber may break off in the bare fiber adapter but the small glass fragment can be easily removed by using ltem #42 (#0700-3210), Cleaning Wire.



#0831-8245 Bill of Materials w/Pictures

#0200-2640

Bare Fiber Adapter









#0100-8245

Kit Key for #0831-8245 Inspection, Cleaning & Test Platform















Larry Widgeon

larry.widgeon@kitcofo.com

757 630-6780

sales@kitco.com

757 518-8100